# Hott-Wire® SR5 Snow Melting Cable

## DATA SHEET

#### Description:

Hott-Wire® SR5-1 and SR5-2 self-regulating snow melting cables are designed to economically and effectively provide heat to melt snow and ice on surfaces.

Hott-Wire® SR5 cables produces 5 watts per foot at 32 degrees in snow and ice providing reliable heat to melt snow while carrying an industry leading 10yr warranty. SR5-1 Hott-Wire® is for


use with 120 volt power, and SR5-2 Hott-Wire® is for use with 208, 240, 277 volt power. For projects requiring a higher heat output see Hott-Wire® SR9 (9 watts/ft) information sheet.

Hott-Wire® self regulating capability means that as the slab temperature decreases the heat output increases to more effectively melt at lower temperatures.

Conversely as the slab temperature rises Hott-Wire® decreases its heat output saving energy and money.

Hott-Wire® SR5 is a great choice for both Residential and Commercial projects.

#### Design:



#### Specifications:

Bus Wire
Core & Liner Semi-conductive heating matrix (Polymer) & Polyolefin Adhesive Jacket
Second Jacket
Metallic Shield Tinned Copper Braid
Outer Jacket
Minimum Bending Radius
Supply Voltage/s
Max. Maintenance Temperature
Max Intermittent Exposure Temperature
Nominal Power Output at 32°
Warranty
Listing Agency ETL (Intertek Testing Laboratory)

#### Applications:

Walkways	Bridges	Entrances	Stairs
Driveways	Handicap Ramps (ADA	Helicopter Pads	Patios

#### Other Information:

Power Dividing Factor	208 VAC	277 VAC		
SR5-2	.86	1.16		

Circuit Sizing:		15A CB		20A CB			30A CB				
Model #	Operating Voltage	Watts/ft in Ice/Snow	@ -20° F	@ ° F	@ 40° F	@ -20° F	@ 0° F	@ 40° F	@ -20° F	@ 0° F	@ 40° F
SR5-1	120 Vac	5	180'	200'	300'	230'	270'	270'	330'	330'	330'
SR5-2	208-277 Vac	5	360'	410'	600'	480'	560'	660'	660'	660'	660'



Note: Ground fault protection must be used when installing all Hott-Wire® SR products. Refer to the NEC or CEC for specific requirements.



4137 South 500 West Murray, Utah 84123

### FOR MORE INFORMATION

Company: Heatizon Systems Toll Free: 888-239-1232 Email: info@heatizon.com Visit us at: www.heatizon.com

© Heatizon Systems, 2016 | DS-08-2016-Hott-Wire-SR5